



*astTECS IP Phones



***astTECS** IP Phones are plug and play deployment that provides effective collaborative experience with customers and among the team.

The ergonomically designed phones are equipped with all advanced features that the modern business environments demand and suitable for both small business and large office applications. It is interoperable and compatible with all the major SIP based PBX / softswitch / IMS platform.

***astTECS** IP Phones are available from entry level to high end model - ***ast520**, ***ast550**, ***ast550G**, ***ast590** and ***ast600W** (wi-fi phone) with HD quality voice, contextual soft keys, phone books, DND and other features at best price to suit your budget. ***astTECS** IP Phones are compliance with CE, FCC & RoHS



*ast520 IP Phone

KEY FEATURES:

- Display - LCD: 128x48 dot-matrix
- 2 SIP accounts
- Available both POE & Non POE
- 31 keys including 4 soft - keys
- Phonebook (500 entries)
- Call log (100 entries, in/out/missed)
- HD Voice, HD speaker, HD microphone, HD Codec
- Support wall mounted, QoS

KEY CALL FEATURES:

- 3 way audio conference
- Call hold / waiting/ forward/ transfer/ parking
- Mute / Unmute (microphone)
- Caller ID Display
- Speed Dial
- Redial/Auto-Redial
- Do-Not-Disturb
- Auto-Answering
- Voice Message
- Hot Line & Hot-Desking
- Black list

Power Efficiency: DC Power Input: 5V / 0.6A, Power , Consumption: Idle ~1.3W, Peak ~4.3W

Working Temperature: 0 ~ 50°C

Physical: 260x255x62mm (L x W x H), Net wt : 0.90 Kg



*ast550 IP Phone

KEY FEATURES:

- Display - 132x64 graphic LCD
- 2 SIP accounts
- Available both POE & Non POE
- 33 keys including 2 programmable keys
- Customizable function keys
- Phonebook (1000 entries)
- Call log (100 entries, in/out/missed)
- Support switching SIP server & Second server
- HD Voice, HD speaker, HD microphone, HD Codec
- Support wall mounted, QoS

KEY CALL FEATURES:

- 3 way audio conference
- Call hold / waiting/ forward/ transfer/ parking
- Mute / Unmute (microphone)
- Message waiting indication LED
- Caller ID Display
- Speed Dial
- Redial/Auto-Redial
- Do-Not-Disturb
- Auto-Answering
- Voice Message
- Hot Line & Hot-Desking
- Black list
- Hands free indicator

Power Efficiency: Power adapter: AC 100~240V input and DC 5V/1A output;

Power over Ethernet ,IEEE 802.3af,class 0 power consumption: 1.4-2.6W

Working Temperature: 0 ~ 50°C

Physical: 186x202x92mm (L x W x H), Net wt: 0.90 Kg



*ast550 G (Gigabyte) IP Phone with POE

KEY FEATURES:

- Display - 132 x 64 Graphic LCD
- 3 SIP accounts
- 34 Keys, including 2 programmable keys
- Customizable function keys
- Phonebook (800 entries)
- Call log (50 entries, in/out/missed)
- 2X 10/100/1000 Mbps PC&LAN, PoE, 1xRJ9Headset.
- HD Voice, HD speaker, HD microphone, HD Codec
- Support wall mounted, QoS
- Autoprovision -HTTP/TFTP/FTP.

KEY CALL FEATURES:

- 3 way audio conference
- Call hold / waiting/ forward/ transfer/ parking
- Mute / Unmute (microphone)
- Message waiting indication LED
- Caller ID Display
- Speed Dial, SMS , Voice mail
- Redial/Auto-Redial
- Do-Not-Disturb
- Auto-Answering
- Voice Message
- Hot Line & Hot-Desking
- Black list
- Hands free indicator

Power Efficiency: Power adapter: AC 100~240V input and DC 5V/1A output;

Power over Ethernet ,IEEE 802.3af,class 0 , power consumption: 1.4 -2.6W

Working Temperature: 0 ~ 60°C

Physical: 186x202x92mm (L x W x H), Net wt: 0.90 Kg



*ast590 IP Phone (Co-Brand with Fanvil)

KEY FEATURES:

- 2 Display – Main 3.6 inch color display & DSS LCD x1: 64x192 dot-matrix
- 6 SIP accounts
- 38 Keys, including 8 DSS Keys mapping
- Phonebook (1000 entries)
- Call log (300 entries, in/out/missed)
- Gigabit Ethernet - 10/100/1000Mbps with POE enabled
- HD Voice, HD speaker, HD microphone,HD Codec
- Support Bluetooth headset with USB Dongle
- Support wall mounted, QoS

KEY CALL FEATURES:

- 3 way audio conference
- Call hold / waiting/ forward/ transfer/ parking
- Mute / Unmute (microphone)
- Message waiting indication LED
- Caller ID Display
- Speed Dial
- Intercom
- Redial/Auto-Redial
- Do-Not-Disturb
- Auto-Answering
- Voice Message
- Hot Line & Hot-Desking
- Black list
- Hands free indicator
- Auto provisioning
- web management portal

Power Efficiency: DC Power Input: 12V/1A, Power Consumption: POE: Idle – ~ 2.4W, Peak – ~8.08W,

Adapter: Idle – ~ 1.4W, Peak – ~6.54W

Working Temperature: 0 ~ 40°C

Physical: 285x270x65mm (W x H x L) (L x W x H), Net wt : 0.95 Kg



*ast600 W (Wi-Fi) Phone

KEY FEATURES:

- Display – 132x64 graphic LCD.
- 3 SIP accounts
- 34 Keys, including 2 programmable keys
- Support 5.8G WiFi.
- Phonebook (1000 entries)
- Call log (100 entries, in/out/missed)
- HD Voice, HD speaker, HD microphone, HD Codec
- Support wall mounted, QoS

KEY CALL FEATURES:

- 3 way audio conference
- Call hold / waiting/ forward/ transfer/ parking
- Mute / Unmute (microphone)
- Message waiting indication LED
- Caller ID Display
- Speed Dial
- Intercom
- Redial/Auto-Redial
- Do-Not-Disturb
- Auto-Answering
- Voice Message
- Hot Line & Hot-Desking
- Black list
- Hands free indicator
- Auto provisioning

Power Efficiency: Power adapter: AC 100~240V input and DC 5V/1A output; Power over Ethernet, IEEE 802.3af, class 0, Power consumption: 1.4-2.6W

Working Temperature: 0 ~ 50°C

Physical: 186x202x92mm (W x H x L) (L x W x H), Net wt : 0.90 Kg

About *astTECS®:

*astTECS® is leader in end to end unified communications, offering wide range of cutting edge enterprise telecom products based on open source technology. We also provides world class 24X7 support to global customers through our in-house Global Support Management Center (GSMC).



CORPORATE OFFICE:

astTECS Communications Pvt. Ltd.
35, K.R. Layout, Domlur, Bangalore – 560071.
Karnataka, India
Mobile : +91 9886914806 / 9900000966
Land lines : 080 – 66406640
sales@asttecs.com

BRANCH OFFICE:

India: Mumbai | Hyderabad | Coimbatore | Delhi | Jaipur | Ahmadabad | Chennai | Pune | Indore | Kolkata | Cochin | Nagpur | Goa | Lucknow | Chandigarh | Puducherry | **Asia:** Sri lanka | Thailand | Cambodia | Afghanistan | Myanmar | Nepal | **Middle East:** UAE | Saudi Arabia | Bahrain | Kuwait | Qatar | **Fiji** | **Europe:** Germany | **Central America:** Colombia | **US:** Illinois | Missouri | **Africa:** Egypt | South Africa | Nigeria | Botswana | Ghana | Kenya | Ivory Coast | Palau